

Bitzer W6FA

Specifications

Marka	Bitzer
Typ	W6FA
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	195,9
kW at 0°C/+40°C	127,5
kW at -5°C/+40°C	99,3
kW at -10°C/+40°C	74,4
Silnik elektryczny Specs	50 Hz - 30 kW - 1470 RPM
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Zawór elektromagnetyczny	✓
m ³ / h	183,0
Uwagi	Y.o.b. 2009
Rozmiary	1600x1430x850 mm (LxWxH)
Stock	1




Description


Used Bitzer W6FA

Used Bitzer W6FA open-type reciprocating compressor on R717 (NH3/Ammonia) with head cooling. Complete with a EEAG EEN200L4/B35T electric motor - 50 Hz - 30 kW - 1470 RPM and a oil separator. The compressor has a displacement of 183,0 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



		Typ W6FA
BITZER KÜHLMASCHINENBAU GMBH		S.Nr. 1676909453
Made in E.C.		
Fördervolumen m³/h	Drehzahl min ⁻¹	
94,1-183,0	900-1750	
NDHD	max. 19 / 25 bar	

