

Airedale KKCS11-K66/6

Specifications

Marka	Airedale
Typ	KKCS11-K66/6
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	34,5*
Ogólna wydajność w	9,8
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R407C
Pump	✓
Waga kg.	330
Rozmiary	1300x650x1600 mm (LxWxH)
Compressor(s) type & model	1x Performer SZ185S4RC
Display	CAL 3200
Number of fans	2
Fan specifications	50 Hz - 0,59 kW - 850 RPM - diameter 600 mm
Uwagi	Y.o.b. 2003
Remarks	*Capacity based on glycol 12/7°C and a ambient temperature of 35°C
Stock	1



Description

Used Airedale KKCS11-K66/6

Used Airedale KKCS11-K66/S air cooled waterchiller on R407C. Complete with 1 Performer SZ185S4RC scroll compressor, braced plate heat exchanger as evaporator, condensor with 2 Ziehl-Abegg fans - 50 Hz - 0,59 kW - 850 RPM - diameter 600 mm, EBARA CDXH/A 120/07 water pump, expansion vessel and a CAL 3200 display.

*All components of this used chiller will be tested on good working, leak free condition condensing blocks, compressors, fans, control panel, etcetera. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.







