

Airwell

VLS.1104.LN.R410A.BFC.KG.KM.A

Specifications

Marka	Airwell
Typ	VLS.1104.LN.R410A.BFC.KG.KM.A
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	267,2
Ogólna wydajność w Tonaż	76,0
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R410A
Waga kg.	2.147
Rozmiary	4300x1100x2300 mm (LxWxH)
Compressor(s) type & model	2x Copeland ZP295KCE-TWD-522 & 2x Copeland ZP385KCE-TWD-522
Display	Carel PLD
Number of fans	4
Fan specifications	700 RPM
Uwagi	Y.o.b. 2008
Stock	1



Description

Used Airwell VLS.1104.LN.R410A.BFC.KG.KM.A

Used Airwell VLS.1104.LN.R410A.BFC.KG.KM.A air cooled waterchiller on R410A. Complete with 2 Copeland ZP295KCE-TWD-522 & 2 Copeland ZP385KCE-TWD-522 scroll compressors, condensers with 4 fans that have a total airflow of 54.900 m³/h, plate heat exchanger as evaporator with a water volume of 25,2 liter and a Carel PLD display.

*All components of this used chiller will be tested on good working, leak free condition condensing blocks, compressors, fans, control panel, etcetera. Choosing HOSBV means buying with warranty. We perform a



industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.





