

Bitzer 6H-25.2 (x2)

Specifications

Marka	Bitzer
Typ	6H-25.2 (x2)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	149,4
kW at -10°C/+40°C	123,2
kW at -20°C/+40°C	80,8
kW at -30°C/+40°C	49,4
kW at -40°C/+40°C	26,9
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	2x 30 ltr. / 1x 180 ltr.
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m3 / h	221



	container
Paleta / Rack	Sizes are from Reefer
Rozmiar	6150x2450x2550 mm (LxWxH)
Stock	1

Description

Used Bitzer 6H-25.2 (x2)

Used Bitzer compressor container. Complete with 2x Bitzer 6H-25.2Y semi-hermetic reciprocating compressors with capacity control, head cooling, oil separator and 2x liquid receivers 30 ltr. Control panel with Eliwell compressor controller Unit is also suitable as split chiller with 2 GEA M55-50-LLX plate heat exchangers.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.









