

Bitzer 4T.2Y (x1) & 4H.2 (x1)

Specifications

Marka	Bitzer
Typ	4T.2Y (x1) & 4H.2 (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	93,1
kW at -5°C/+40°C	77,5
kW at -10°C/+40°C	64,0
kW at -20°C/+40°C	42,2
kW at -30°C/+40°C	26,1
kW at -40°C/+40°C	14,5
kW at -45°C/+40°C	10,0
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	90
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m3 / h	136,2



	2012
Paragid / Rack	SN: 1682706706 - Y.o.b.
Rozmiar	2900x1350x1900 mm (LxWxH)
Stock	1

Description

Used Bitzer 4T.2Y (x1) & 4H.2 (x1)

Used Bitzer 4T.2Y (x1) & 4H.2 (x1) open-type reciprocating compressors rack on Freon. Complete with a Cantoni 160L-4 electric motor - 50/60 Hz - 15/17,3 kW - 1470/1760 RPM, Euro-Cold VT-90 liquid receiver, oil separator, oil reservoir, Frigo-Mec 11/S-SP-ODS 67 suction accumulator and a Emerson M200-064 frequency converter. The compressors have a total displacement of 136,2 m³/h. We can deliver this rack with a suitable electric motor.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.







