

Bitzer 4EES-4Y-40S Condensing unit

Specifications

Marka	Bitzer
Typ	4EES-4Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	18,8
kW at -5°C/+40°C	15,6
kW at -10°C/+40°C	12,7
kW at -20°C/+40°C	8,3
kW at -30°C/+40°C	5,1
kW at -40°C/+40°C	2,8
kW at -45°C/+40°C	2,0
Podstawa na stalowej ramie	✓
m ³ / h	22,7 - 27,4
Uwagi	Y.o.b. 2014
Condensing Unit	✓
Rozmiary	990x800x880 mm (LxWxH)
Stock	1



Description

Used Bitzer 4EES-4Y-40S Condensing unit

Used condensing unit on Freon. Complete with a Bitzer 4EES-4Y-40S semi-hermetic reciprocating compressor, condensor with a Ziehl-Abegg FB045-4EK.4F.V4L fan, Bitzer FS76 liquid receiver with a 7,8 liter, liquid line filter drier and pressure and safety switches. The compressor has a displacement of 22,7 m³/h at 50 Hz and 27,4 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





