

DWM D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) Condensing unit

Specifications

Marka	DWM
Typ	D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) Condensing unit
Czynnik chłodzący	Freon
kW at -10°C/+40°C	141,6
kW at -20°C/+40°C	94,8
kW at -30°C/+40°C	60,2
Podstawa na stalowej ramie	✓
Wskaźniki ciśnienia	✓
Ssanie	✓
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	253,8
Uwagi	Y.o.b. 2010
Condensing Unit	✓
Rozmiary	4100x1100x2050 mm (LxWxH)
Stock	1



Description

Used DWM D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) Condensing unit

Used DWM D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) condensing unit. Complete with a Helpman HBX 8-335/2KSG shell and tube as condensor, suction accumulator, pressure and safety gauges, liquid line filter drier and a control cabinet. The compressors have a total displacement of 253,8 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.



**Your partner for used commercial and
industrial refrigeration equipment**

*Optional we can also perform a new
paint job and arrange the logistics.





