

DWM 4 CC 63

Specifications

Marka	DWM
Typ	4 CC 63
Czynnik chłodzący	Freon
kW at +10°C/+40°C	62,3
kW at 0°C/+40°C	43,1
kW at -5°C/+40°C	36,0
kW at -10°C/+40°C	28,6
kW at -20°C/+40°C	17,7
kW at -30°C/+40°C	9,7
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	56
Uwagi	*Capacity based on +7°C/+40°C
Rozmiary	1200x1100x1750 mm (LxWxH)
Stock	1



Description

Used DWM 4 CC 63

Used DWM 4 CC 63 open-type compressor on Freon. Complete with a Rotor 4AP132M-4 electric motor – 50 Hz – 7,5 kW – 1450 RPM, liquid receiver, liquid line filter drier and pressure and safety switches/gauges. The compressor has a displacement of 56 m³/h at 1450 RPM.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





