

Bitzer HSN 7461-70-40P (x3)

Specifications

Marka	Bitzer
Typ	HSN 7461-70-40P (x3)
Czynnik chłodzący	Freon
kW at -20°C/+40°C	344,5
kW at -30°C/+40°C	236,0
kW at -40°C/+40°C	153,1
kW at -45°C/+40°C	119,6
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Przełączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	400
Separator oleju	✓
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m3 / h	50 Hz - 660 / 60 Hz - 792
Uwagi	Y.o.b. 2004
Uwagi	*Capacity calculated with economizer.



Uwagi |||

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators

Package / Rack	✓
Rozmiary	3330x1500x1900 mm (LxWxH)
Stock	1

Description

Used Bitzer HSN 7461-70-40P (x3)

Used Bitzer HSN 7461-70-40P (x3) semi-hermetic screw compressor rack on Freon with an economizer. Complete with a Frigo-Mec FSR 400+3SGR7+SV(FL101/FL121) liquid receiver with a volume of 400 liter, Bitzer OA4088 oil separator with a volume of 88 liter, braced heat exchanger as economizer, liquid line filter drier, pressure and safety switch, condensing pressure switches and a control panel. The compressors have a total displacement of 660 m³/h at 50 Hz and 792 m³/h at 60 Hz. The capacities are with an economizer.

Please note we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.









