

Danfoss OP-MSXM108MLW05E

Condensing unit

Specifications

Marka	Danfoss
Typ	OP-MSXM108MLW05E Condensing unit
Czynnik chłodzący	Freon
kW at +10°C/+40°C	24,4
kW at 0°C/+40°C	17,2
kW at -5°C/+40°C	14,2
kW at -10°C/+40°C	11,6
kW at -20°C/+40°C	9,4
kW at -30°C/+40°C	7,5
kW at -40°C/+40°C	4,4
Podstawa na stalowej ramie	✓
Obiornik cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	18,7
Uwagi	Y.o.b. 2019
Condensing Unit	✓
Rozmiary	1100x470x830 mm (LxWxH)
Stock	1



Description

Used Danfoss OP-MSXM108MLW05E Condensing unit

Used Danfoss OP-MSXM108MLW05E condensing unit on Freon. Complete with a Danfoss MLZ048T4L scroll compressor, condenser with 1 EBM-Papst A6E500-AJ05-04 fan - 50/60 Hz - 0,22/0,29 kW - 865/810 RPM - diameter 500 mm, liquid receiver, liquid line filter drier and a control panel. The compressor has a displacement of 18,7 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



