

Bitzer 4EES-6Y-40S Condensing unit

Specifications

Marka	Bitzer
Typ	4EES-6Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	18,6
kW at -5°C/+40°C	15,4
kW at -10°C/+40°C	12,6
kW at -20°C/+40°C	8,1
kW at -30°C/+40°C	4,9
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,6
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	40
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m3 / h	22,7 - 27,4
Uwagi	Y.o.b. 2014
Condensing Unit	✓



Rozmiar	2320x1140x1160 mm (LxWxH)
---------	------------------------------

Stock	1
-------	---

Description

Used Bitzer 4EES-6Y-40S Condensing unit

Used Bitzer condensing unit on Freon. Complete with 1 Bitzer 4EES-6Y-40S semi-hermetic reciprocating compressor, Guntner GCHC RD 050.2/1 condenser with an EBM-Papst S4E500-CM03-05 fan - 50/60 Hz - 0,68/0,88 kW - 1300/1400 RPM - diameter 500 mm, liquid receiver with a volume of 40 liter, liquid line filter drier, pressure and safety switches and a control cabinet.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





