

Goedhart LLK.p 108 m²

Specifications

Marka	Goedhart
Typ	LLK.p 108 m ²
Ogólna wydajność w kW	15,7*
Czynnik chłodzący	Glycol
Liczba wentylatorów	2
Średnica wentylatora mm	7
Rozmrażanie	None
Przepływ powietrza w m ³ /h	13.100
Rozmiary	2650x1200x890 mm (LxWxH)
Uwagi	Y.o.b. 2006
Remarks	*Capacity based on the use of Glycol
Volume	31 dm ³
Waga	240 kg
Stock	1



Description

Used Goedhart LLK.p 108 m²

Used Goedhart LLK.p 108 m² evaporator on CO₂. Complete with 2 Süd-Electric MDA-H2065-NVN-U fans - 50 Hz - 0,75/1,25 kW - 1000/1300 RPM - diameter 560 mm and a total airflow of 13.100 m³/h.

*All components of this used evaporator will be tested in good working, leak-free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Goedhart
Cooling Equipment
Sint-Maartensdijk, Holland Tel. +31(0)166 665 665 Fax +31(0)166 663 698 E-mail: info@goedhart.nl

Man.no.: **PJV061841**

Type: **LLK.p 108m²**

Number: **007** of **7** Year: **2006**

Client ref.: _____

M.: **240** kg TS: **+5/-10** °C

V.: **31** dm³ PS: **39** bar

PT: **56** bar

Fluid: **CO2**



