

Bitzer 2EC-2.2Y-40S Condensing unit

Specifications

Marka	Bitzer
Typ	2EC-2.2Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at -5°C/+40°C	7,3
kW at -10°C/+40°C	6,0
kW at -20°C/+40°C	3,9
kW at -30°C/+40°C	2,4
kW at -40°C/+40°C	1,2
kW at -45°C/+40°C	0,8
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m3 / h	50 Hz - 11,4 m³/h 60 Hz - 13,7 m³/h
Uwagi	Y.o.b. 2007
Condensing Unit	✓
Rozmiary	730x740x580 mm (LxWxH)
Stock	3



Description

Used Bitzer 2EC-2.2Y-40S Condensing unit

Used Bitzer condensing unit on Freon. Complete with 1 Bitzer 2EC-2.2Y-40S semi-hermetic reciprocating compressor, condenser with 1 EBM-Papst fan, Bitzer FS56 liquid receiver, pressure and safety switches, and a liquid line filter drier. The compressor has a displacement of 11,4 m³/h at 50 Hz and 13,7 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



