

Sabroe SAB 128 HM MK4 auto VI

Specifications

Marka	Sabroe
Typ	SAB 128 HM MK4 auto VI
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	393,5
kW at 0°C/+40°C	272,8
kW at -5°C/+40°C	224,3
kW at -10°C/+40°C	182,6
kW at -20°C/+40°C	116,8
kW at -30°C/+40°C	70,6
kW at -40°C/+40°C	39,3
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Separator oleju	✓
m ³ / h	303 m ³ /h
Uwagi	Y.o.b. 2006
Uwagi	Please notice that the capacities are based on a bigger electromotor
Rozmiary	2180x1020x1310 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HM MK4 auto VI

Used Sabroe SAB 128 HM screw compressor unit on NH₃ (Ammonia). Complete with Leroy Somer PLS180M-T electric motor - 50 Hz - 30 kW - 2935 RPM, Sabroe OHU 4119 D oil separator with a volume of 270 liters, HS Cooler KS12-AEH-822 oil cooler, oil pump and a Unisab 2. Capacities are based on a bigger electromotor.

*Why choose for HOS BV? We are not only the largest used refrigeration specialist in Europe, but we also deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.







