

Bitzer 6FE-50Y-40P (x2)

Specifications

Marka	Bitzer
Typ	6FE-50Y-40P (x2)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	249,2
kW at -5°C/+40°C	207,6
kW at -10°C/+40°C	171,4
kW at -20°C/+40°C	112,6
kW at -30°C/+40°C	69,2
kW at -40°C/+40°C	37,6
kW at -45°C/+40°C	25,6
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Przełączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	8 l
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓



m3 / h	303,2 m ³ /h - 50 Hz & 366,2 m ³ /h - 60 Hz
Uwagi	Y.o.b. 2015 (nr 1688304143) & y.o.b. 2014 (nr 1687205480)
Package / Rack	✓
Rozmiary	3260x1750x2440 mm (LxWxH)
Stock	1

Description

Used Bitzer 6FE-50Y-40P (x2)

Used Bitzer 6FE-50Y-40P (x2) semi-hermetic reciprocating compressor rack on Freon. Complete with a Frigo Mec 9109-FM liquid receiver with a volume of 8 liters, AC&R S-1903 oil separator, oil level system AC&R, pressure and safety switches/gauges, sight glass and control cabinet. The compressors have a total displacement of 303,2 m³/h at 50 Hz & 366,2 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







