

Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)

Specifications

Marka	Bitzer
Typ	4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	47,7
kW at -5°C/+40°C	38,5
kW at -10°C/+40°C	30,6
kW at -20°C/+40°C	18,3
Podstawa na stalowej ramie	✓
Przełączniki kondensacji ciśnienia	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	50 Hz - 97,5 m ³ /h / 60 Hz - 117,6 m ³ /h
Uwagi	Y.o.b. 2010
Package / Rack	✓
Rozmiary	1930x900x1350 mm (LxWxH)
Stock	1



Description

Used Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)

Used Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with condensing pressure switches and a control panel with a Danfoss controller. The compressors have a total displacement of 97,5 m³/h at 50 Hz & 117,6 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





