

DWM D4DA5-200X-AWM/D (x2) & D4DH5-250X-AWM/D (x1)

Specifications

Marka	DWM
Typ	D4DA5-200X-AWM/D (x2) & D4DH5-250X-AWM/D (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	157,2
kW at -5°C/+40°C	130,3
kW at -10°C/+40°C	106,8
kW at -20°C/+40°C	68,9
kW at -30°C/+40°C	41,0
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Przełączniki kondensacji ciśnienia	✓
Poziom oleju w systemie	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	182,9
Uwagi	Y.o.b. 2008
Package / Rack	✓
Rozmiary	3200x1540x2220 mm (LxWxH)
Stock	1



Description

Used DWM D4DA5-200X-AWM/D (x2) & D4DH5-250X-AWM/D (x1)

Used DWM D4DA5-200X-AWM/D (x2) & D4DH5-250X-AWM/D (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with AC&R S-9109-CE oil reservoir, oil level regulators, pressure and safety switches, condensing pressure switch and a control cabinet with a Adap Kool Drive. The compressors have a total displacement of 182,9 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.









