

Helpman HTC 076-163

Specifications

Marka	Helpman
Typ	HTC 076-163
Typ produktu	Drycooler
Ogólna wydajność w kW	333,8*
Liczba wentylatorów	6
Prdkość obrotów wentylatora (obr/min)	930
Czynnik chłodzący	Glycol
Przepływ powietrza w m ³ /h	83.200
wentylatory o średnicy Ø 760 mm	
Powierzchnia (m2)	919 m ²
Rozmiary (LxWxH)	9200x1010x1140 mm
Waga	*Capacity is based on a medium inlet temperature of 60°C and an outlet temperature of 40°C
Stock	1



Description

Used Helpman HTC 076-163

Used Helpman HTC 076-163. Complete with 6 ATB AT 90S/6B-11 fans - 50 Hz - 0,75 kW - 930 RPM - diameter 760 mm and a total airflow of 83.200 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 333,8kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C.

*All components of this used condenser will be tested on adequate functionality, leak-free condition (electro engines), condensing block, and bearings. Choosing HOS BV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



