

Goedhart KOAL 76L/5-6P

Specifications

Marka	Goedhart
Typ	KOAL 76L/5-6P
Typ produktu	Drycooler
Ogólna wydajność w kW	334,3*
Liczba wentylatorów	5
Prdkość obrotów wentylatora (obr/min)	915/1125
Czynnik chłodzący	Glycol
Przepływ powietrza w m ³ /h	85.600
wentylatory o średnicy Ø 760 mm	
Powierzchnia (m2)	772,8
Objętość rurki	80 dm ³
Rozmiary	8800x1150x1120 mm (LxWxH)
Waga	810 kg
Uwagi	Y.o.b. 2000
Remarks	*Capacity is based on a medium inlet temperature of 50°C and an outlet temperature of 40°C
Stock	3



Description

Used Goedhart KOAL 76L/5-6P

Used Goedhart KOAL 76L/5-6P. Complete with 5 Leroy Somer LS90S T fans - 50/60 Hz - 0,75/0,90 kW - 915/1125 RPM - diameter 760 mm and a total airflow of 85.600 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 334,3kW with a medium inlet temperature of 50°C and an outlet temperature of 40°C. *All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.





