

York / Frick GSV 50 / TDSH 163 S

Specifications

Marka	York / Frick
Typ	GSV 50 / TDSH 163 S
Czynnik chłodzący	NH 3 (ammonia)
kW at -40°C/+40°C	91,1*
Silnik elektryczny Specs	50 Hz - 110 kW - 2960 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Separator oleju	✓
Okno widokowe	✓
m ³ / h	769
Uwagi	*Capacity based on -40°C/+35°C
Uwagi	Y.o.b. 2008
Rozmiary	1500x3800x2100 mm (LxWxH)
Stock	1



Description

Used York / Frick GSV 50 / TDSH 163 S

Used York / Frick GSV 50 / TDSH 163 S compressor unit on NH₃ (Ammonia). Complete with York / Frick GSV 50 / TDSH 163 S screw compressor, Schorch KN5250M-AB014-051 electric motor, Brown Boveri OAS 508/30 oil separator, Brown Boveri WT0G219/20/30/1/87 oil cooler, Rickmeier oil pump and a control cabinet. The compressor has a displacement of 769 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







