

Cabero ACHD 087A2X2-3.3-38-S D

Specifications

Marka	Cabero
Typ	ACHD 087A2X2-3.3-38-S D
Typ produktu	Drycooler
Ogólna wydajność w kW	230,3*
Liczba wentylatorów	4
Prdkość obrotów wentylatora (obr/min)	700
Czynnik chłodzący	Glycol
Przepływ powietrza w m ³ /h	58.000
wentylatory o średnicy Ø 800 mm	
Powierzchnia (m ²)	379,4
Objętość rurki	55 dm ³
Rozmiary (LxWxH)	3900x2300x1500 mm
Uwagi	Y.o.b. 2014
Remarks	*Capacity is based on a medium inlet temperature of 60°C and an outlet temperature of 40°C
Stock	1



Description

Used Cabero ACHD 087A2X2-3.3-38-S D

Used Cabero ACHD 087A2X2-3.3-38-S D drycooler build in 2014. Complete with 4 Ziehl-Abegg FN080-ZIQ.DG.V5P4 - 50/60 Hz - 0,83 kW - 700 RPM - 1,45-1,15 A - diameter 800 mm and a total airflow of 58.000 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 230,3kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C.

*All components of this used chiller will be tested on good working, leak free condition condensing blocks, compressors, fans, control panel, etcetera. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will



be covered. Also, we can arrange your
shipment.



