

Bitzer HSK7461-80-40P (x2) (Brand new)

Specifications

Marka	Bitzer
Typ	HSK7461-80-40P (x2) (Brand new)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	438,2
kW at -5°C/+40°C	374,8
kW at -10°C/+40°C	318,6
kW at -20°C/+40°C	225,2
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	320 L
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	50 Hz - 440 m ³ /h / 60 Hz - 528 m ³ /h
Uwagi	Y.o.b. 2020
Package / Rack	✓



	(LxWxH)
Bitzer rack	3700x1610x2460 mm

Description

Used Bitzer HSK7461-80-40P (x2) (Brand new)

New Bitzer HSK7461-80-40P compressor rack on Freon. Complete with 2 Bitzer HSK7461-80-40P semi-hermetic screw compressors, Bitzer FS 3102 liquid receiver with a volume of 320 liters, Bitzer OA9111 oil separator with a volume of 228 liters, plate heat exchanger, pressure and safety switches/gauges and a control box with a 2 Yaskawa JVOP-180 LCD keypads.
*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also perform a new paint job and arrange the logistics



Typ HSK7461-80-40P
S.Nr. 1096200711

BITZER KÜHLMASCHINENBAU GMBH
Made in Germany

Nennleistung V _{3Ph}	Frequ. Hz	Beistrom A (max)	Anschluß ø (Δ)	Δ (ΔΔ)	Förderol. m³/h	Drehzahl min. ⁻¹
380-415	50	144	350	585	220	2800
440-480	60	144	350	585	264	3500

IP 54 | NDA-D max. 19 / 28 bar

CE





