

DWM 6CC 75L Condensing Unit

Specifications

Marka	DWM
Typ	6CC 75L Condensing Unit
Czynnik chłodzący	Freon
kW at +10°C/+40°C	134,9
kW at 0°C/+40°C	92,7
kW at -5°C/+40°C	78,2
kW at -10°C/+40°C	60,6
kW at -20°C/+40°C	36,7
kW at -30°C/+40°C	19,1
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	126,8 m ³ /h - 1450 RPM
Uwagi	Y.o.b. 1997
Condensing Unit	✓
Rozmiary	4250x1680x2140 mm (LxWxH)
Stock	1



Description

Used DWM 6CC 75L Condensing Unit

Used DWM Copeland 6CC 75L condensing unit on Freon. This unit also has the function of a chiller. Complete with 2 Helpman TC 4-6-A condensers with 6 fans, oil separator, Grundfos water pump, plate heat exchanger, pressure and safety switches/gauges, liquid line filter drier and a control panel.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







