

DWM D2DL3-40X-AWM/D

Specifications

Marka	DWM
Typ	D2DL3-40X-AWM/D
Czynnik chłodzący	Freon
kW at -10°C/+40°C	12,8
kW at -20°C/+40°C	8,4
kW at -30°C/+40°C	5,1
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,8
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Przełączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Ssanie	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	23,7
Uwagi	Y.o.b. 2009
Rozmiary	1270x700x1250 mm (LxWxH)
Stock	1



Description

Used DWM D2DL3-40X-AWM/D

Used DWM D2DL3-40X-AWM/D semi-hermetic reciprocating compressor on Freon. Complete with a liquid receiver, oil separator, suction accumulator, pressure and safety switch and a control cabinet. The compressor has a displacement of 23,7 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.





