

Technotrans Theta. K 100 L.

Specifications

Marka	Technotrans
Typ	Theta. K 100 L.
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	8,0*
Ogólna wydajność w	2,3
Tonaż	
Czynnik chłodzący	Freon
Pump	✓
Rozmiary	850x840x1200 mm (LxWxH)
Compressor(s) type & model	Copeland ZR40K3E-TFD-522
Display	Technotrans TRE-022
Number of fans	1
Fan specifications	50/60 Hz - 1600 RPM - 0,98 kW
Uwagi	*Capacity based on the Freon type R134a and on a temperature +5°C/40°C.
Stock	1



Description

Used Technotrans Theta. K 100 L.

Used Technotrans Theta. K 100 L. air-cooled waterchiller on Freon. Complete with 1 Copeland ZR40K3E-TFD-522 scroll compressor, condenser with 1 EBM-Papst S3G500-AN33-01 fan - 50/60 Hz - 0,98 kW - 1600 RPM - diameter 500 mm, x3 Grundfos CM1-6 A-R-A-E-AQQE F-A-A-N water pumps with Grundfos MG71A 230/400-2 B-F electric motors, Technotrans SSSC619TT electrical actuators and a control cabinet with a Technotrans TRE-022 controller.

*All components of this used chiller will be tested on good working, leak free condition (condensing blocks, compressors, fans, control panel, etcetera). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can



Your partner for used commercial and
industrial refrigeration equipment

arrange your shipment.







