

Cabero ACWA097A2.2/2N D

Specifications

Marka	Cabero
Typ	ACWA097A2.2/2N D
Typ produktu	Drycooler
Ogólna wydajność w kW	236,2*
Liczba wentylatorów	2
Prdkość obrotów wentylatora (obr/min)	1100 RPM
Czynnik chłodzący	Glycol
Przepływ powietrza w m ³ /h	49.100
wentylatory o średnicy Ø 910 mm	
Powierzchnia (m2)	319,5 m ²
Objętość rurki	47,5 dm ³
Rozmiary (LxWxH)	3000x1350x1860 mm
Uwagi	Y.o.b. 2017
Remarks	*Capacity is based on a medium inlet temperature of 60°C and an outlet temperature of 40°C
Stock	1



Description

Used Cabero ACWA097A2.2/2N D

Used Cabero ACWA097A2.2/2N D drycooler built in 2017. Complete with 2 Ziehl-Abegg FN091-ZIQ.GL.V5P1 fans - 50/60 Hz - 3,2 kW - 1100 RPM - diameter 910 mm and a total airflow of 49.100 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 236,2kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C.

*All components of this used condenser will be tested on adequate functionality, leak-free condition (electro engines), condensing block, and bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.





