

Güntner S-DHN 067C/27

Specifications

Marka	Güntner
Typ	S-DHN 067C/27
Ogólna wydajność w kW	29,4
Czynnik chłodzący	Freon
Liczba wentylatorów	2
Średnica wentylatora mm	7
Rozmrażanie	None
Podwójny odpływ	✓
Przepływ powietrza w m ³ /h	16.940
Rozmiary	3250x1900x500 mm (LxWxH)
Uwagi	Y.o.b. 2019
Remarks	Surface area: 163 m ²
Volume	44,3 dm ³
Waga	315 kg
Stock	1



Description

Used Güntner S-DHN 067C/27

Used Güntner S-DHN 067C/27 double discharge evaporator on Freon. Complete with 2 EBM-Papst S3G650-CM04-H6 fans - 50/60 Hz - 0,45 kW - 900 RPM - diameter 650 mm and a total airflow of 16.940 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



Güntner GmbH & Co. KG Hans-Güntner-Strasse 2-6 82081 Forsterniederruck www.guenter.de					
Projektnummer - Project number			10111887		
Gerätebezeichnung - Unit name			S-DHN 067C27		
Gerät Seriennummer - Unit serial number			40489628740 02007		
Ventilator - Fan			S-VT03.0001		
Umgebungstemperatur - Ambient air temperature			-30 °C / +50 °C		
Herstellungsjahr - Year of manufacture			2019		
Druckgerät Seriennr. - Pressure equipment serial no.			40489628540 02004		
Volumen - Volume (V)			44.3 l		
Max. zulässiger Druck (PS)			32 / 0 bar		0 / -1 bar
Max. permissible pressure (PS)					
Zulässige min./max. Temperatur (TS)			-50 °C / +100 °C		-50 °C / +40 °C
Permissible min./max. temperature (TS)					
Prüfdruck(PT)/Prüfmedium - Test pressure(PT)/Test medium			35.2 bar / Druckluft - Compressed air		
Prüfdatum - Test date			2019.10.31		
Fluidgruppe / Zustand - Group of fluid / State			2 / gasförmig - gaseous		



