

Bock HGX7/1860-4 S

Specifications

Marka	Bock
Typ	HGX7/1860-4 S
Czynnik chłodzący	Freon
kW at +10°C/+40°C	157,4 (+7,5°C/+40°C)
kW at 0°C/+40°C	122,0
kW at -5°C/+40°C	100,3
kW at -10°C/+40°C	82,5
kW at -20°C/+40°C	53,4
kW at -30°C/+40°C	31,8
Poziom oleju w systemie	✓
Osuszający filter lini	✓
cieczy	
Okno widokowe	✓
m ³ / h	50 Hz - 161,4 m ³ /h / 60 Hz - 193,7 m ³ /h
Rozmiary	800x560x930 mm (LxWxH)
Stock	3



Description

Used Bock HGX7/1860-4 S

Used Bock HGX7/1860-4 S semi-hermetic reciprocating compressor on Freon. Complete with a sight glass, Castel 4411/17C filter drier and S-9510 oil level system AC&R. The compressor has a displacement of 161,4 m³/h at 50 Hz & 193,7 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





