

Bitzer 4G-30.2Y-40P (x2)

Specifications

Marka	Bitzer
Typ	4G-30.2Y-40P (x2)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	137,1
kW at -5°C/+40°C	114,0
kW at -10°C/+40°C	93,9
kW at -20°C/+40°C	61,4
kW at -30°C/+40°C	37,2
kW at -40°C/+40°C	19,7
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	112
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	169,2 at 50 Hz & 204,2 m ³ /h at 60 Hz



Uwagi	Y.o.b. 2010
Package / Rack	✓
Rozmiary	3150x1370x2200 mm (LxWxH)
Stock	1

Description

Used Bitzer 4G-30.2Y-40P (x2)

Used Bitzer 4G-30.2Y-40P semi-hermetic reciprocating compressor rack on Freon. Complete with a suction accumulator, Bitzer FS1122 liquid receiver with a volume of 112 liter, oil separator, oil reservoir, 2 Yaskawa Varispeed, liquid line filter driers and a control cabinet.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







