

Bitzer 6J-33.2Y-40P

Specifications

Marka	Bitzer
Typ	6J-33.2Y-40P
Czynnik chłodzący	Freon
kW at 0°C/+40°C	77,7
kW at -5°C/+40°C	64,3
kW at -10°C/+40°C	53,7
kW at -20°C/+40°C	33,9
kW at -30°C/+40°C	20,0
kW at -40°C/+40°C	10,1
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	56
Ssanie	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	95,3 m ³ /h at 50 Hz & 115 m ³ /h at 60 Hz
Uwagi	Y.o.b. 2012
Rozmiary	2520x1200x1920 mm (LxWxH)



Stock

1

Description

Used Bitzer 6J-33.2Y-40P

Used Bitzer 6J-33.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a suction accumulator, Bitzer FS562 liquid receiver with a volume of 56 liter, liquid receiver, oil separator, Omron SX Inverter, pressure and safety switches/gauges and a control cabinet. The compressors has a displacement of 95,3 m³/h at 50 Hz - 115 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





