

ICS Cool Energy iC 303

Specifications

Marka	ICS Cool Energy
Typ	iC 303
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	13,1
Ogólna wydajność w	3,7
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R410A
Liquid buffer tank	✓
Pump	✓
Waga kg.	324 kg
Rozmiary	1350x660x1420 mm (LxWxH)
Compressor(s) type & model	1 Copeland ZP42K5E-TFD-522
Display	Dixell IC208CX
Number of fans	1
Fan specifications	50 Hz - 0,48/0,34 kW - 1360/1110 RPM - diameter 450 mm
Uwagi	Y.o.b. 2022
Stock	2



Description

Used ICS Cool Energy iC 303

Used ICS Cool Energy iC 303 air-cooled chiller on R410A built in 2022. Complete with 1 Copeland ZP42K5E-TFD-522 scroll compressor, condenser with 1 Ebm-Papst A4D450-AO14-01 fans - 50 Hz - 0,48/0,34 kW - 1360/1110 RPM - diameter 450 mm, buffer tank with evaporator, Ebara 2CDX 70/15-Q1AE-NEDN water pump and a control cabinet with a Dixell IC208CX controller.

*All components of this used chiller will be tested and in good working, leak-free condition (condensing blocks, compressors, fans, control panel, etc.). Choosing HOS BV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



MANUFACTURED BY: ICS Cool Energy Ltd Stephenson Road Calmore Industrial Estate Totton, Southampton SO40 3SA GB T +44 (0)23 8052 7300 F +44 (0)23 8042 8366			
MODELO / MODEL / MODELE / TYP / MODELO / ИСПОЛНЕНИЕ iC 303			
MANUALE MANUEL РУКОВОДСТВО	DDOMA01825	HANDBUCH MANUAL РУКОВОДСТВО	
MATRÍCULA SERIAL NUMBER NÚMERO DE FABRICACIÓN	2200386987	SERIE N. N. FABRICACIÓN СЕРИЙНЫЙ НОМЕР	
ANNO DI COSTRUZIONE YEAR OF CONSTRUCTION AÑO DE CONSTRUCCIÓN	2022	BAUJAHR AÑO DE CONSTRUCCIÓN ГОД ПОЯВЛЕНИЯ	
TENSIONE / FASE / FRECUENCIA VOLTAGE / PHASES / FREQUENCY TENSION / PHASES / FREQUENCY	400/3/50	SPANNUNG/PHASEN/FREQUENZ TENSION/FASES/FRECUENCIA НАПРЯЖЕНИЕ/ФАЗА/ЧАСТОТА	
ASSORBIMENTO MAX AMP. MAX. ABSORBEDOS AMPERES MAX.	12	STROMAUFNAHME MAX AMP. MAX. ABSORBEDOS AMPERES MAX.	
POTENZA INSTALLATA INSTALLED POWER POTENCIA INSTALADA	6,6	NEINENLEISTUNG POTENCIA INSTALADA ИСТАНОВЛЕННАЯ МОЩНОСТЬ	
CORRENTE DI CORTO CIRCUITO SHORT CIRCUIT CURRENT RATING CURRENT DE CORTO-CIRCUITO	10	KURZSCHLUSSELNOMINALE CURRENT DE CORTO-CIRCUITO ТОК КОРОТКОГО ЗАМЫКАНИЯ	
GRADO DI PROTEZIONE PROTECTION RATING GRADO DE PROTECCIÓN	IP54	STROMSCHUTZ GRADO DE PROTECCIÓN СТЕПЕНЬ ЗАЩИТЫ	
BUREAU ELECTRIC ELECTRIC SYSTEM ELECTRICAL SYSTEM	DSEET00821/A	STRÖMUNGSSYSTEM ELECTRICAL SYSTEM ЭЛЕКТРИЧЕСКАЯ СИСТЕМА	

MANUFACTURED BY: ICS Cool Energy Ltd Stephenson Road Calmore Industrial Estate Totton, Southampton SO40 3SA GB T +44 (0)23 8052 7300 F +44 (0)23 8042 8366			
MODELO / MODEL / MODELE / TYP / MODELO / ИСПОЛНЕНИЕ iC 303			
MANUALE MANUEL РУКОВОДСТВО	DDOMA01825	HANDBUCH MANUAL РУКОВОДСТВО	
MATRÍCULA SERIAL NUMBER NÚMERO DE FABRICACIÓN	2200386988	SERIE N. N. FABRICACIÓN СЕРИЙНЫЙ НОМЕР	
ANNO DI COSTRUZIONE YEAR OF CONSTRUCTION AÑO DE CONSTRUCCIÓN	2022	BAUJAHR AÑO DE CONSTRUCCIÓN ГОД ПОЯВЛЕНИЯ	
TENSIONE / FASE / FRECUENCIA VOLTAGE / PHASES / FREQUENCY TENSION / PHASES / FREQUENCY	400/3/50	SPANNUNG/PHASEN/FREQUENZ TENSION/FASES/FRECUENCIA НАПРЯЖЕНИЕ/ФАЗА/ЧАСТОТА	
ASSORBIMENTO MAX AMP. MAX. ABSORBEDOS AMPERES MAX.	12	STROMAUFNAHME MAX AMP. MAX. ABSORBEDOS AMPERES MAX.	
POTENZA INSTALLATA INSTALLED POWER POTENCIA INSTALADA	6,6	NEINENLEISTUNG POTENCIA INSTALADA ИСТАНОВЛЕННАЯ МОЩНОСТЬ	
CORRENTE DI CORTO CIRCUITO SHORT CIRCUIT CURRENT RATING CURRENT DE CORTO-CIRCUITO	10	KURZSCHLUSSELNOMINALE CURRENT DE CORTO-CIRCUITO ТОК КОРОТКОГО ЗАМЫКАНИЯ	
GRADO DI PROTEZIONE PROTECTION RATING GRADO DE PROTECCIÓN	IP54	STROMSCHUTZ GRADO DE PROTECCIÓN СТЕПЕНЬ ЗАЩИТЫ	
BUREAU ELECTRIC ELECTRIC SYSTEM ELECTRICAL SYSTEM	DSEET00821/A	STRÖMUNGSSYSTEM ELECTRICAL SYSTEM ЭЛЕКТРИЧЕСКАЯ СИСТЕМА	







