

Grasso PR-P55S-28 / Gea FRIGoPAK FPL 150 G var.

Specifications

Marka	Grasso
Typ	PR-P55S-28 / Gea FRIGoPAK FPL 150 G var.
Czynnik chłodzący	NH 3 (ammonia)
kW at 0°C/+40°C	772,0 (0/+35°C)
kW at -10°C/+40°C	429,0 (-15/+35°C)
kW at -30°C/+40°C	201,0 (-35/+35°C)
Silnik elektryczny Specs	60 Hz - 150 kW -3575 RPM
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	1320 l
Separator oleju	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	966
Uwagi	Y.o.b. 2013
Waga kg.	5400
Rozmiary	4850x2250x2550 mm (LxWxH)
Stock	1



Description

Used Grasso PR-P55S-28 / Gea FRIGoPAK FPL 150 G var.

Used Gea/Grasso FRIGoPAK FPL 150 G var. compressor unit. Complete with a Grasso PR-P55S-28 screw compressor on NH₃, Weg 280 S electric motor - 60 Hz - 150,0 kW - 3575 RPM, ATM Apparatebau 410983 liquid receiver, ATM Apparatebau 3672 oil separator with a volume of 337 liters, HS-Cooler KS20-FEH-112 L800 oil cooler, Kracht KF 40 RF 34/376 oil pump with a ADDA Antriebstechnik TFC 90S-4 electric motor - 50/60 Hz - 1,1/1,32 kW - 1405/1720 RPM and a control box with a Siemens touch display. This set has a capacity of 772 kW at the following temperatures: 0°C/+35°C

*Why choose for HOSBV? Were not only



the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also arrange the logistics.











