

Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Specifications

Marka	Bitzer
Typ	6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)
Typ produktu	Water Cooled Chiller
Ogólna wydajność w kW	540,4 (-5°C/+40°C)
Ogólna wydajność w	153,7
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R404A
Rozmiary	3950x3700x2050 mm (LxWxH)
Compressor(s) type & model	6FE-40Y-40P (x7) & 6FE-44Y-40P
Display	Socomec & Dixell
Stock	1



Description

Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Used Bitzer water-cooled chiller on Freon. Complete with Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1) semi-hermetic reciprocating compressors, x2 shell and tube as evaporator, x2 shell and tube as condenser, x2 AC&R S-190P-CE oil separators with a volume of 18 liters, x2 Tecnac RH-219-10/50-20 liquid receivers with a volume of 20 liters, x2 Swep B35Hx40/1P-SV-S heat exchangers, pressure safety switches/gauges, control cabinet with a Socomec and Dixell displays, x7 Danfoss FC-302P30 and x2 Danfoss FC-302P5 frequency regulators.

Further the set comes with 2 Profroid FC7D144SL drycoolers built in 2019. Complete with 14 Profroid CM29/T fans - 50 Hz - 0,22 kW - 455 RPM and a total airflow of 112.000 m³/h. The drycoolers can be found under the next number: [17719](https://www.hosbv.com/en/product/18267/condensers/Profroid-FC7D144SL.html)

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. *If requested we are happy to arrange your shipment.















