


# Grasso V 700

## Specifications

Marka	Grasso
Typ	V 700
Czynnik chłodzący	NH 3 (ammonia)
kW at 0°C/+40°C	549,0*
kW at -10°C/+40°C	367,0* (-10°C/+35°C)
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Okno widokowe	✓
Panel kontrolny	✓
m <sup>3</sup> / h	636 m <sup>3</sup> /h
Uwagi	Y.o.b. 2013
Uwagi	* Based on: 0 K subcooling, 2 K superheat (non-useful).
Package / Rack	✓
Rozmiary	2600x1250x1600 mm (LxWxH)
Stock	1



## Description

### Used Grasso V 700

Used Grasso V 700 Package NH3 (ammonia) on a steel base frame. Complete with a Grasso V 700 reciprocating compressor, Weg 315S/M-06 electric motor - 50/60 Hz - 132 kW - 990/1190 RPM, pressure and safety switches/gauges and a Gea Grasso Maintenance Monitor. The compressor has a displacement of 636 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.

