

Bitzer Bitzer 4ESL-9K-40S (x1) & Bitzer 4NESP-20P-40P (x1) Condensing Unit

Specifications

Marka	Bitzer
Typ	Bitzer 4ESL-9K-40S (x1) & Bitzer 4NESP-20P-40P (x1) Condensing Unit
Czynnik chłodzący	CO2
Refrigerant type	CO2 / Propane
kW at -30°C/+40°C	31,1
Podstawa na stalowej ramie	✓
Wskaźniki ciśnienia	✓
Okno widokowe	✓
Panel kontrolny	✓
m3 / h	50 Hz - 71,9 m ³ /h
Uwagi	Y.o.b. 2014
Uwagi	*Capacity based on an evaporating temperature of -37°C
Condensing Unit	✓
Rozmiary	5150x1310x1610 mm (LxWxH)
Stock	3



Description

Used Bitzer Bitzer 4ESL-9K-40S (x1) & Bitzer 4NESP-20P-40P (x1) Condensing Unit

Used Bitzer condensing unit on CO2/Propane. Complete with 1 Bitzer 4ESL-9K-40S (CO2) & 1 Bitzer 4NESP-20P-40P (Propane) semi-hermetic reciprocating compressors, Güntner GVHXG 080.1B/2-LS.E microchannel condenser with 2 Ziehl-Abegg fans - 50 Hz - 670/510 RPM - 0,54/0,28 kW - diameter 800 mm, 2 brazed heat exchangers, pressure and safety gauges and a control cabinet.

The Bitzer 4NESP-20P-40P is on the high pressure side of the system and runs on 0°C/+40°C with a capacity of 39 kW.

The Bitzer 4ESL-9K-40S is on the low pressure side of the system and runs on $-30^{\circ}\text{C}/0^{\circ}\text{C}$ with a capacity of 31,1 kW.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.







