

Bitzer 4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1)

Specifications

Marka	Bitzer
Typ	4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	131,7
kW at -5°C/+40°C	108,9
kW at -10°C/+40°C	89,3
kW at -20°C/+40°C	57,6
kW at -30°C/+40°C	34,3
kW at -40°C/+40°C	17,8
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	228
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓



	195,2 m ³ /h at 60 Hz
Waga	Bitzer 4J-22.2Y-40P (x2) - Y.o.b. 2011
	Bitzer 4VES-10Y-40P - Y.o.b. 2020
Package / Rack	✓
Rozmiar	1100x1000x1910 mm (LxWxH)
Stock	1

Description

Used Bitzer 4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1)

Used Bitzer 4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer FS2202 liquid receiver with a volume of 228 liter, Henry S-1903-CE oil separator, Henry S-9108U-CE oil reservoir, Alfa Laval CB76-20L brazed heat exchanger and pressure and safety switches/gauges.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.





