

Bitzer 6J-22.2Y-40P (x2)

Specifications

Marka	Bitzer
Typ	6J-22.2Y-40P (x2)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	127,8
kW at -10°C/+40°C	105,2
kW at -20°C/+40°C	68,8
kW at -30°C/+40°C	41,8
kW at -40°C/+40°C	22,8
kW at -45°C/+40°C	15,0
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	160
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter linii cieczy	✓
m3 / h	50 Hz - 190,6 m ³ /h & 60 Hz - 230 m ³ /h
Uwagi	Y.o.b. 2011
Package / Rack	✓
Rozmiary	2210x1000x2400 mm (LxWxH)
Stock	1



Description

Used Bitzer 6J-22.2Y-40P (x2)

Used Bitzer 6J-22.2Y-40P (x2) compressor rack on Freon. Complete with a Bitzer FS1602 liquid receiver with a volume of 160 liter, oil separator, oil reservoir, SWEP B60Hx6/1P-SC-S brazed heat exchanger for heat recovery, Wilo TOP-S25/5 water pump, expansion vessel and pressure and safety switches/gauges. The compressor has a displacement of 190,6 m³/h at 50 Hz & 230 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also arrange the logistics.









