


# Bitzer 2HHC-2KB-40S

## Specifications

|                    |  |
|--------------------|--|
| Marka              | Bitzer   |
| Typ                | 2HHC-2KB-40S   |
| Czynnik chłodzący  | CO2  |
| kW at -30°C/+40°C  | 8,4*   |
| kW at -40°C/+40°C  | 5,0*   |
| Okno widokowe      | ✓  |
| m <sup>3</sup> / h | 50 Hz - 4,3 m <sup>3</sup> /h / 60 Hz -<br>5,2 m <sup>3</sup> /h |
| Uwagi              | Y.o.b. 2013  |
| Uwagi              | *Capacity based on a<br>condensing temperature:<br>0°C           |
| Waga kg.           | 45 kg  |
| Rozmiary           | 350x320x270 mm<br>(LxWxH)  |
| Stock              | 1  |



## Description

### Used Bitzer 2HHC-2KB-40S

Used Bitzer 2HHC-2KB-40S semi-hermetic reciprocating compressor on CO2 (R744). The compressor has a displacement of 4,3 m<sup>3</sup>/h at 50 Hz & 5,2 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.

