

Goedhart FC38Dp 63407-230

Specifications

Marka	Goedhart
Typ	FC38Dp 63407-230
Ogólna wydajność w kW	14,2
Czynnik chłodzący	Freon
Liczba wentylatorów	3
Średnica wentylatora mm	7
Rozmrażanie	None
Podwójny odpływ	✓
Przepływ powietrza w m ³ /h	8.441
Rozmiary	2650x950x330 mm (LxWxH)
Uwagi	Y.o.b. 2011
Volume	20 dm ³
Waga	160 kg
Stock	6



Description

Used Goedhart FC38Dp 63407-230

Used Goedhart FC38Dp 63407-230 Freon evaporator. Complete with 3 EBM-Papst S6E400-AP10-46 fans 50/60 Hz - 940/1080 RPM - diameter 400 mm and a total airflow of 8.441 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



GEA Goedhart B.V.
 Nijveheidsweg 6 4695 RC Sint-Maartensdijk, The Netherlands
 Tel: +31(0)166 665 665 www.goedhart.nl

Man. no.:	VK1101065, 727610 / 310459030		
Type:	FC38Dp 63407-230		
Number:	4	of	7
Year:	2011		
Client ref.:	Van de Raai Project P 1418		
M.:	160 kg	-	TS: +55/-40 °C
V:	20 dm ³	-	PS: 28 bar
	-	-	PT: 40 bar
Fluid:	Group 2		

Goedhart Manufactured by GEA Goedhart s.r.o.



