

Bitzer 4NES-14Y-40P Condensing unit

Specifications

Marka	Bitzer
Typ	4NES-14Y-40P Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	47,2
kW at -5°C/+40°C	38,8
kW at -10°C/+40°C	31,6
kW at -20°C/+40°C	20,1
kW at -30°C/+40°C	11,9
kW at -40°C/+40°C	6,3
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	30 l
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	50 Hz - 56,3 m ³ /h / 60 Hz - 67,9 m ³ /h
Uwagi	Y.o.b. 2018
Condensing Unit	✓
Rozmiary	1900x1250x1000 mm (LxWxH)
Stock	1



Description

Used Bitzer 4NES-14Y-40P Condensing unit

Used Bitzer 4NES-14Y-40P condensing unit on Freon. Complete with a Bitzer 4NES-14Y-40P semi-hermetic reciprocating compressor, condenser with 2 Ebm-Papst S3G450-LL03-H7 fans 50/60 Hz - 0,34 kW - 1300 RPM - diameter 450 mm, Bitzer F302H liquid receiver with a volume of 30 liters, pressure safety switches and liquid line filter drier.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics





