

# Sabroe SAB 128 HR MK4

## Specifications

|   |  |
|---|--|
| Marka                                   | Sabroe   |
| Typ                                     | SAB 128 HR MK4   |
| Czynnik chłodzący                       | Freon  |
| kW at +10°C/+40°C                       | 836,6  |
| kW at 0°C/+40°C                         | 580,1  |
| kW at -5°C/+40°C                        | 476,9  |
| kW at -10°C/+40°C                       | 388,2  |
| kW at -20°C/+40°C                       | 294,4  |
| kW at -30°C/+40°C                       | 184,5  |
| kW at -40°C/+40°C                       | 106,6  |
| Rozładunek                              | ✓  |
| Kontrolka wydajności                    | ✓  |
| Podstawa na stalowej ramie              | ✓  |
| Ciśnieniowe przełączniki bezpieczeństwa | ✓  |
| Separator oleju                         | ✓  |
| Zawór elektromagnetyczny                | ✓  |
| Panel kontrolny                         | ✓  |
| m <sup>3</sup> / h                      | 106 m <sup>3</sup> /h at 1000 RPM &<br>615 m <sup>3</sup> /h at 6000 RPM |
| Uwagi                                   | Y.o.b. 2009  |
| Rozmiary                                | 3100x1170x2020 mm<br>(LxWxH)   |
| Stock                                   | 1  |



## Description

### Used Sabroe SAB 128 HR MK4

Used Sabroe SAB 128 HR MK4 Rotatune screw compressor on R717 (Ammonia). Complete with a Schorch LN3225M-AB81T-Z electric motor: 5-101 Hz / 6-132 kW / 247-6005 RPM, Sabroe OHU 4119D oil separator, Sabroe OOSI 21142A oil cooler, 2 Sabroe OF 1606 oil filters, oil pump, control cabinet with a Unisab 3 and a Vacon frequency converter. The compressor has a displacement of 106 m<sup>3</sup>/h at 1000 RPM and 615 m<sup>3</sup>/h at 6000 RPM.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.









