

Bitzer 6F-50.2Y-40P

Specifications

Marka	Bitzer
Typ	6F-50.2Y-40P
Czynnik chłodzący	Freon
kW at 0°C/+40°C	121,6
kW at -5°C/+40°C	101,3
kW at -10°C/+40°C	83,6
kW at -20°C/+40°C	54,9
kW at -30°C/+40°C	33,8
kW at -40°C/+40°C	18,6
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	160
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	151,6 m ³ /h at 1450 RPM & 183 m ³ /h at 60 Hz
Uwagi	Y.o.b. 2006
Rozmiary	1780x760x1900 mm (LxWxH)
Stock	1



Description

Used Bitzer 6F-50.2Y-40P

Used Bitzer 6F-50.2Y-40P semi-hermetic reciprocating compressor on Freon. Compleat with a F1602N liquid receiver with a volume of 160 liter, oil separator, pressure and safety switches/gauges. The compressor has a displacement of 151,6 m³/h at 50 Hz & 183 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics





