

# Bitzer 4EC-4.2Y-40S Condensing unit

## Specifications

Marka	Bitzer
Typ	4EC-4.2Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at -5°C/+40°C	14,4
kW at -10°C/+40°C	11,9
kW at -20°C/+40°C	7,7
kW at -30°C/+40°C	4,7
kW at -40°C/+40°C	2,4
kW at -45°C/+40°C	1,6
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	13
Okno widokowe	✓
Panel kontrolny	✓
m <sup>3</sup> / h	22,7 m <sup>3</sup> /h at 50 Hz & 27,4 m <sup>3</sup> /h at 60 Hz
Uwagi	Y.o.b. 2007
Condensing Unit	✓
Rozmiary	1510x830x680 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4EC-4.2Y-40S Condensing unit

Used Condensing unit on Freon. Complete with a Bitzer 4EC-4.2Y-40S semi-hermetic reciprocating compressor, Condenser with 1 fan, Frigo-mec RV-220x427 liquid receiver with a volume of 13 liter, pressure and safety switch, liquid line filter drier and a control cabinet. The compressor has a displacement of 22,7 m<sup>3</sup>/h at 50 Hz & 27,4 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.



