

Norfrig OTU 42 Cooling Container Plug and Play

Specifications

| | |
|-------------------|---|
| Marka | Norfrig |
| Typ | OTU 42 Cooling Container Plug and Play |
| Czynnik chłodzący | Freon |
| Refrigerant type | R404A |
| kW at 0°C/+40°C | 15,9 |
| kW at -5°C/+40°C | 13,5 |
| kW at -10°C/+40°C | 11,3 |
| kW at -20°C/+40°C | 7,8 |
| kW at -30°C/+40°C | 5,2 |
| kW at -40°C/+40°C | 3,3 |
| Rozładunek | ✓ |
| Panel kontrolny | ✓ |
| Uwagi | Y.o.b. 2003 |
| Condensing Unit | ✓ |
| Rozmiary | Outside dimension: 8710x2600x2700 mm (LxWxH) Inside dimension: 7000x2480x2270 mm (LxWxH) |
| Stock | 1 |



Description

Used Norfrig OTU 42 Cooling Container Plug and Play

Norfrig OTU 42 Cooling Container Plug and Play with a capacity of 47kw on R404A. Inner dimensions: 7000x2480x2270 mm (LxWxH). Total container dimension: 8710x2600x2700 mm (LxWxH). Max operating pressure: 35 bar Unit weight: 450 KG Please feel free to contact us for more information!

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also arrange the logistics.







