

# Bitzer 6GE-34Y-40P

## Specifications

Marka	Bitzer
Typ	6GE-34Y-40P
Czynnik chłodzący	Freon
kW at 0°C/+40°C	105,2
kW at -5°C/+40°C	87,9
kW at -10°C/+40°C	72,9
kW at -20°C/+40°C	48,6
kW at -30°C/+40°C	30,6
kW at -40°C/+40°C	17,7
kW at -45°C/+40°C	12,7
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m <sup>3</sup> / h	127 m <sup>3</sup> /h at 50 Hz & 153 m <sup>3</sup> /h at 60 Hz
Uwagi	Y.o.b. 2016
Condensing Unit	✓
Rozmiary	5200x1800x1700 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 6GE-34Y-40P

Used condensing unit on Freon. Complete with a Bitzer 6GE-34Y-40P semi-hermetic reciprocating compressor, condenser with 6 EBM-Papst S3G500-SM06-H9 fans - 50/60 Hz - 0,50 kW - 1260 RPM - diameter 500 mm, liquid receiver, pressure and safety switches/gauges and a control cabinet. The compressor has a displacement of 127 m<sup>3</sup>/h at 50 Hz & 153 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your shipment.





