


Kelvion FR38SZ(DX)-61407-230-6p-E

Specifications

Marka	Kelvion
Typ	FR38SZ(DX)-61407-230-6p-E
Ogólna wydajność w kW	3,5
Czynnik chłodzący	NH 3 (ammonia)
Liczba wentylatorów	1
Średnica wentylatora mm	7
Rozmrażanie	Electric
Przepływ powietrza w m ³ /h	2.600
Rozmiary (LxWxH)	1030x700x580 mm
Uwagi	Surface area: 18,3 m ²
Volume	8 dm ³
Waga	80 kg
Stock	1



Description

Used Kelvion FR38SZ(DX)-61407-230-6p-E

New Kelvion / Goedhart FR38SZ(DX)-61407-230-6p-E NH3 (Ammonia) evaporator. Complete with a Kelvion FN040-6EK.0F.V7P1 fan - 50/60 Hz - 0,13/0,17 kW - 950/1110 RPM - diameter 400 mm.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.



Kelvion 		Kelvion s.r.o. Kostornátecka 180, Nymburk 288 02, The Czech Republic Tél.: + 420 325 519 951 www.kelvion.com	
Name Plate			
Article No.:/ Císlo výrobku:		100879709	
Manufacturing - Serial No. / Date		200585706/40/1/2024	
Výrobní číslo / rok:		200585344-010, 2303079	
Client Ref:			
Model:		Goedhart FR38SZ(DX)-61407-230-6p-E	
Fan(s): 230 V -1-2	P - Fan(s) Total	190,0 W	
	I - Fan(s) Total	0,5 A	
Elec. defrost according to wiring diagram.		P - Electric Defrost Total	3.311,0 W
		I - Electric Defrost Total	15 A
Heat Exchanger		Made in the EC	
Net weight	80 KG	Design pres. PS	60 bar/870 psi
Volume	0,0 dm ³	Design temp. TS	-80/ + 100
		Test pres. PT	96 bar/1247 psi
Safety device settings		Min./Max all temp.	-80 °C/100 °C
Fluid group	2	PED cat.	S.E.P.
		Number 1 of 1	



