

# Sabroe SMC 112L

## Specifications

Marka	Sabroe
Typ	SMC 112L
Czynnik chłodzący	NH 3 (ammonia)
Refrigerant type	R717
kW at 0°C/+40°C	726,4
kW at -5°C/+40°C	578,1
kW at -10°C/+40°C	451,8
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Uwagi	*Capacity based on NH3 (Ammonia).
Rozmiary	3020x1050x1850 mm (LxWxH)
Stock	1



## Description

### Used Sabroe SMC 112L

Used Sabroe SMC 112L reciprocating compressor on NH3 (Ammonia). Complete with a Dutchi Motors B.V. electric motor - 50/60 Hz - 160/176 kW - 1480/1775 RPM, oil separator with a volume of 115 liters, pressure and safety switches/gauges and a sight glass.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.





