

# Bitzer 8FE-70-40P (x2) Condensing unit

## Specifications

Marka	Bitzer
Typ	8FE-70-40P (x2) Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	344,2
kW at -5°C/+40°C	286,9
kW at -10°C/+40°C	236,8
kW at -20°C/+40°C	154,8
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	970
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	442 m <sup>3</sup> /h at 50 Hz & 533,4 m <sup>3</sup> /h at 60 Hz
Condensing Unit	✓
Rozmiary	5850x2650x2500 mm (LxWxH)



Stock

1

## Description

### **Used Bitzer 8FE-70-40P (x2) Condensing unit**

Used Condensing unit on Freon. Complete with 2 Bitzer 8FE-70-40P semi-hermetic reciprocating compressors, Helpman HTC 091.233-V air-cooled condenser, Prevesco 3316950-1 liquid receiver with a volume of 970 liter, oil separator, oil reservoir, suction accumulator and a control cabinet with an Eliwell EWCM900/S controller. The compressors have a total displacement of 442 m<sup>3</sup>/h at 50 Hz & 533,4 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.









