

Bitzer HSN 7461-70-40P (x2) & HSN 7471-75 (x2)

Specifications

Marka	Bitzer
Typ	HSN 7461-70-40P (x2) & HSN 7471-75 (x2)
Czynnik chłodzący	Freon
kW at -20°C/+40°C	470,2
kW at -30°C/+40°C	323,2
kW at -40°C/+40°C	211,0
kW at -45°C/+40°C	165,8
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	320
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓



	Bitzer HSN 7471-75: 500 m ³ /h at 50 Hz & 600 m ³ /h at 60 Hz
bitzer	Bitzer HSN 7461-70: 440 m ³ /h at 50 Hz & 532 m ³ /h at 60 Hz (5880256)
Package / Rack	✓
Rozmiary	Skid 1: 2700x1400x1820 mm (LxWxH) Skid 2: 2750x1400x1830 mm (LxWxH)
Stock	1

Description

Used Bitzer HSN 7461-70-40P (x2) & HSN 7471-75 (x2)

Two used low temperature Bitzer screw compressor skids on Freon. Both skids come with a shared control cabinet. Originally the skids have their own freezing room, but called capacities in the specifications are combined together.

Skid 1 comes with 2 Bitzer HSN 7461-70-40P semi-hermetic screw compressors, Bitzer FS 3102 liquid receiver, Bitzer OA4088 oil separator, brazed heat exchanger as economizer, brazed heat exchanger for heat recovery, pressure and safety switches. This skid has a displacement of 440 m³/h at 50 Hz & 532 m³/h at 60 Hz.

Skid 2 comes with 2 Bitzer HSN 7471-75 semi-hermetic screw compressors, Bitzer FS 3102 liquid receiver, Bitzer OA4088 oil separator, brazed heat exchanger as economizer, WTT GmbH WP 7M-44 brazed heat exchanger for heat recovery, pressure and safety switches. This skid has a displacement of 500 m³/h at 50 Hz & 600 m³/h at 60 Hz.

Bitzer HSN 7461-70-40P (x2) capacities:

-20°C/+40°C: 229,6 kW
-30°C/+40°C: 157,4 kW
-40°C/+40°C: 102,0 kW
-45°C/+40°C: 79,8 kW

Bitzer HSN 7471-75 (x2) capacities:

-20°C/+40°C: 240,6 kW
-30°C/+40°C: 165,8 kW
-40°C/+40°C: 109,0 kW

-45°C/+40°C: 86,0 kW

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

















