

Bitzer HSN 7461-70-40P (x2)

Specifications

Marka	Bitzer
Typ	HSN 7461-70-40P (x2)
Czynnik chłodzący	Freon
kW at -20°C/+40°C	229,6
kW at -30°C/+40°C	157,4
kW at -40°C/+40°C	102,0
kW at -45°C/+40°C	79,8
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	228
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	440 m ³ /h at 50 Hz & 532 m ³ /h at 60 Hz
Uwagi	Y.o.b. 2011 (s.nr: 1080601587) & y.o.b. 2004 (s.nr: 1066100769)
Package / Rack	✓



Rozmiary	2550x1600x1800 mm (LxWxH)
Stock	1

Description

Used Bitzer HSN 7461-70-40P (x2)

Used Bitzer HSN 7461-70-40P (x2) semi-hermetic screw compressor skid on Freon. Complete with a Bitzer F2202N liquid receiver with a volume of 228 liter, Bitzer OA4088 oil separator, Vahterus PSHE 3HH-40/1/1 oil cooler, Vahterus PSHE 3HH 60/3/2 as economizer, pressure and safety switches/gauges and a control cabinet with an Eliwell EWCM900/S controller. The compressor skid has a displacement of 440 m³/h at 50 Hz & 532 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.











